

January 6, 2005

TO: Mr. David A. Reifsnnyder
Primary Examiner
Art Unit 1723
Fax No.: 703-872-9306

FROM: Wlodzimierz J. Tuszko
Fax No.: 805-386-4003

RE: Application Control Number 10/623326

RECEIVED
CENTRAL FAX CENTER

JAN 07 2005

Sir:

I am sorry, but I was not able to answer Office Action in statutory period 12/22/04 because of serious my family health problems.

Primary Examiner is absolutely right that my last CIP application is not understandable in whole. An attorney facing the same difficulties, demands a huge amount of money not available for me.

The intention of the last CIP application was:

1. To have the claims expressed as broad as possible in geometrical terms, so it could protect all possible cases of the cylindrical telescopic structure application,
2. To protect, among all others, as the new matter, also the cylindrical telescopic structure from being used for sectioning of conventional conical cyclone.
3. To keep the first application No. 09/721,780 November 24, 2000 filing date of patent 65.96170B2, because the infringement of this patent was made at 2002.

I think that only way to reach the CIP application 10/623326 goals, is of Primary Examiner acceptance for the new CIP application would consist of:

-- Whole Patent No. 65.96170B2

-- The new matter is the same like the point 2 in CIP Application 10/623326, but expressed in narrow, structural terms, similar to those of Patent No. 65.96170B2. As supplementary inserts are description, drawings and probably five claims.

I would very much appreciate the Primary Examiner understanding and acceptance as the only rescue in my present difficult situation.

Respectfully submitted,

Wlodzimierz J. Tuszko
Wlodzimierz J. Tuszko
5434 Camino de Ville
Camarillo, California 93012
Phone: 805-987-1199
Anna Phone: 805-312-1177